

 Metalurško kemična industrija Celje, d.d.
 t
 00386 (0)3 427 60 00

 Kidričeva 26
 f
 00386 (0)3 427 62 92
 SI-3001 Celje Slovenija

Page 1 of 7

e info@cinkarna.si w www.cinkarna.si

SAFETY DATA SHEET

Trade name: ZINC BARS FOR METALIZING 500X16X5

Issued on: 28.08.2008 Revised on: 10.07.2018 Revised version No.: 1

1. Ide	entification of the subs	stance	e/mixtu	ire and of the c	:ompany/	undertakin	g	
1.1.	Product identifier (Product registration number):		ZINC B	ARS FOR METALIZ	ING 500X16)	K5		
1.2.	Relevant identified uses of the substance/ mixture and uses advised against:		Zinc coa	ating				
1.3.	Details of the supplier of the distributor):	safety	data she	et (manufacturer, in	nporter, only	y representativ	e, downstream user,	
1.3.1.	Supplier name:		CINKAF	CINKARNA CELJE, d.d. PE METALURGIJA				
1.3.2.	Supplier address and telephon	e:	Kidričev	/a 26, 3001 Celje - Sl	lovenija, +38	6 3 427 6000		
1.3.3.	E-mail (competent person) :		metalur	gija.tajnistvo@cinkar	na.si			
1.4. Emergency phone number :		In the case of health hazard, consult a private or a doctor on duty in the event of life- threatening, call the telephone number 112. Additional information is available: on weekdays from 7-15 pm on telephone number						
			+300 (0) 3 427 6310				
	zards identification							
2.1.	Classification of substance of mixture:	or	Alloy does not fall as dangerous.					
Refere	nce to Chapter 16							
2.2.	Label elements:		There is no need to mark the product in accordance with the EC directive.					
2.3.	Other hazards:		Not known.					
3. Co	omposition / informatio	on on	ingred	ients				
3.1.	Mixture							
Chemi	cal name	CAS n		Registration n.	Conc. (wt/vol/ max. conc. %)	(Regulation (EC) No 1272/2008 (CLP)		
		EC n. Index	REACH	REACH		Hazard statements (H	Hazard class and hazard) category	
Refere	nce to Chapter 16							
4. Fir	rst aid measures							
4.1.	Description of first aid measures		If there is an inhalation of zinc oxides or dust, or burns due to contact with melt.					
	After inhalation:		Take affected persons into fresh air and seek medical assistance.					
After skin contact:		Burns on the skin, wash for a long time with running water, and in case of major burns, call for medical attention.						
	After eye contact:		Flush with plenty of water, seek medical attention.					
	After Ingestion:		In case of nausea, inhale fresh air, seek medical attention if necessary					

Cinka	rna Celje, SAFETY DATA SHEET		Page 2 of 7		
Trade	name: ZINC BARS FOR METALIZING	500X16X5			
4.2.	Most important symptoms and effects, acute and delayed:	Nausea, burns.			
4.3	Indication of any immediate medical attention and special treatment needed:	Not required.			
5. Fir	e-fighting measures				
5.1.	Extinguishing media				
	Appropriate extinguishing media:	Extinguishing agents of group D, sand			
	Inappropriate extinguishing media:	Water, CO2			
5.2.	Specific hazards arising from the substance or mixture:				
	Hazardous combustion products:	Zinc oxide.			
5.3.	Advice for firefighters:	In case of fire, use: Protective eye and respiratory mask, protective he clothing, fireproof shoes, fireproof gloves.	elmet, fireproof		
6. Ac	cidental release measures				
6.1.	Personal precautions protective equipment and emergency procedures				
6.1.1.	For non-emergency persons:	Not required.			
6.1.2.	For emergency persons:	Not required.			
6.2.	Environmental precautions	Not required.			
6.3.	Methods and material for containment and cleaning				
6.3.1	Appropriate spillage retaining techniques (fencing, covering drains, retaining procedures):	Not required.			
6.3.2.	Appropriate cleaning procedures				
	Neutralization techniques:	Not required.			
	Decontamination techniques:	Not required.			
	Absorbent materials:	Not required.			
	Cleaning techniques:	Not required.			
	Sucking techniques:	Not required.			
	Required equipment for retaining / cleaning:	Not required.			
6.3.3.	Inappropriate retaining or cleaning techniques:	Not required.			
6.4.	Reference to other sections:	Not required.			
7. Ha	7. Handling and storage				
7.1.	Precautions for safe handling				
7.1.1.	Recommendations shall be specified to:	At work, pay special attention to the sharp edges of individual bars in package.	an open		

Cinka	arna Celje, SAFETY DATA SHEET		Page 3 of 7			
Trade	e name: ZINC BARS FOR METALIZING	G 500X16X5				
	Safe handling of substance or mixture:	Use protective gloves and clothing.				
	Prevent handling of incompatible substances or mixtures:	Not required.				
	Reduce the release of the substance or mixture to the environment:	Not required.				
7.1.2.	General working hygiene (prohibited eating, drinking and smoking within working area; washing hands, etc.):	It is forbidden to eat food and drink, and smoking at work. Wash hands after work.				
7.2.	Conditions for safe storage, including any incompatibilities					
	Management of risks associated with:					
	- explosive atmospheres	Not required.				
	- corrosive substances:	Do not store with corrosive substances.				
	- incompatible substances or mixtures:	Not required.				
	- evaporation substances:	Not required.				
	- potential ignition sources:	Not required.				
	How to control the effects of:					
	- weather conditions:	Store in dry and ventilated areas.				
	- ambient pressure:	Not required.				
	- temperature:	Not required.				
	- sunlight:	Not required.				
	- humidity:	Store in dry and ventilated areas.				
	- vibrations:	Not required.				
	Securing integrity of substance or mixture by use of:					
	- stabilisers:	Not required.				
	- antioxidants:	Not required.				
	Other advice including:					
	- prevention specifications:	Store in dry and ventilated areas.				
	 specific designs for storage rooms or vessels (including retention walls and ventilation): 	Not required.				
	- quantity limitations regarding storage conditions:	Not required.				
	- packaging compatibility:	Not required.				
7.3.	Specific end use(s):	Not required.				
8. Ex	posure control / personal p	rotection				
8.1.	Control parameters					

Cinka	arna Celje, SAFETY DATA SHEET		Page 4 of 7		
Trade	e name: ZINC BARS FOR METALIZING	G 500X16X5			
8.1.1.	Limit values (LV):	No data.			
Refere	ence to Chapter 16				
	DNEL	No data.			
	PNEC	No data.			
8.2.	Exposure control				
8.2.1.	Appropriate technical and engineering controls:	General technical precautions for the use of zinc anodes in production.			
8.2.2.	Personal protective equipment:	Personal protective equipment			
	- respiratory protection:	Ventilation of the room in which the process of galvanic protection takes place.			
	- skin protection:	Protective suit SIST EN ISO 13688: 2013, protective shoes SIST EN	Protective suit SIST EN ISO 13688: 2013, protective shoes SIST EN ISO 20345: 2012		
	- hand protection:	Protective gloves non-cut SIST EN 388: 2016, protection level 4 or 5.			
	- eye/ face protection:	Protective goggles or shield EN 166: 2002			
	- heat radiation protection:	Protective gloves non-cut SIST EN 388: 2016, protection level 4 or 5.			
	Other:	Not required.			
8.2.3.	Environment exposure control	Not required.			
9. Pł	ysical and chemical proper	ties			
9.1.	Information on basic physical and chemical properties				
	- appearance:	Metal bars, silver color.			
	- colour:	Silver.			
	- odour:	Odorless.			
	- pH:	Not required.			
	- melting/ freezing point:	419°C			
	- boiling point and boiling range:	906 °C			
	- flash point:	Not required.			
	- vaporization rate:	Not required.			
	- flammability (solid, gas):	Not required.			
	- upper /lower flammability or explosive limit:	Not required.			
	- vapour pressure:	1,33hPa at 487°C			
	- vapour density:	Not required.			
	- relative density:	7,2g/cm3			
	- solubility:	Insoluble.			
	- partition coefficient: n- octanol/water	Not required.			
	- spontaneous combustion temperature:	No auto-ignition occurs.			

Cinka	rna Celje, SAFETY DATA SHEET		Page 5 of 7		
Trade	e name: ZINC BARS FOR METALIZING	G 500X16X5			
	- decomposition temperature:	Not required.			
	- viscosity:	Not required.			
	- explosion properties:	Not required.			
	- oxidation properties:	Not required.			
9.2.	Other information	Not required.			
10. S	tability and reactivity				
10.1.	Reactivity:	It is stable, the dangerous reaction can come in contact with acid or a	ılkalis.		
10.2.	Chemical stability:	Existing under normal conditions. It creates "white corrosion" in moist	air.		
10.3.	Possible hazardous reactions:	Zinc powder, in contact with oxygen and water liberates hydrogen ga	s.		
10.4.	Conditions to avoid:	Not known.			
10.5.	Incompatible materials:	Oxidizing agents such as, for example, ammonium nitrate, nitric acid, acids and water.	sodium chlorate,		
10.6.	Hazardous decomposition products:	Zinc powder, in contact with oxygen and water liberates hydrogen ga Vodikov plin se prav tako sprošča pri stiku s kislinami.	S.		
11. T	oxicological data	1			
11.1	Information on toxicological effects	Not toxic.			
Refere	nce to Chapter 16	1			
	- acute toxicity:	Not toxic.			
	- skin corrosion /irritation:	Not corrosive.			
	- serious eye damage/ irritation:	Not known.			
	- respiratory or skin sensitisation:	Not known.			
	- germ cell mutagenicity:	Not known.			
	- Carcinogenicity:	Not known.			
	- toxicity for reproduction:	Not known.			
	- STOT ? single exposure:	Not known.			
	- STOT ? repeated exposure:	Not known.			
	- Inhalation hazards:	Not known.			
12. E	12. Ecological information				
12.1.	Toxicity:	Not toxic.			
12.2.	Persistence and degradability:	No data.			
12.3.	Accumulation in organisms:	No data.			
12.4.	Mobility in soil:	For zinc (as for other metals) transport and distribution across different compartments, such as, for example, water (molten particles, particulate matter associated with floating substances), earth (particle particles, particles in the water in the soil,) described and measure coefficients of metal partitions between these different particles. In the partition coefficient in zinc was used in land of 158.5 I / kg (recorded value 2.2) (CSR for zinc 2010).	es bound to earth d by		

Cinka	rna Celje, SAFETY DATA SHEET		Page 6 of 7
Trade	name: ZINC BARS FOR METALIZING	G 500X16X5	
12.5.	PBT and vPvB assessment results:	Not in accordance with the requirements for PBTs and vPvBs.	
12.6.	Other adversative effects:	No data.	
Refere	nce to Chapter 16		
13. D	isposal considerations		
13.1.	Waste treatment methods:	Zinc is fully recyclable by melting in the production process.	
14. T	ransport information	·	
	ADR, RID, ADN, IMDG, ICAO- TI/IATA-DGR	Not required.	
14.1.	UN number:		
14.2.	UN proper shipping name (technical name if required):	Product is not under ADR regulations.	
14.3.	Transport hazard class:	Not necessary	
14.4.	Packaging group:	Not necessary	
14.5.	Hazard to environment:	Not dangerous for the environment.	
14.6.	Special precautions for user:	Not required.	
14.7.	Bulk transport by MARPOL 73/78 Annex II and IBC Code:	Not required.	
14.8.	Tunnel code:	Not necessary	
14.9.	Classification code:	Not required.	
14.10.	Hazard label:	Not required.	
15. R	legulatory information		
15.1.	Rules and regulations regarding health, safety and environmental hazard specific to the substance or mixture:	For the substance: Directive 2006/11 / EC 2000/479 / EC EC 166/2006 86/278 / EEC REACH Regulation; Chemicals act; Rules on classification, packagin dangerous substances; Health and safety at work act; Rules on perse equipment; Rules on the protection of workers from the risks related to chemical agents at work; Rules on the requirements for ensuring the of workers at workplaces; List of harmonized standards whose applic presumption of compliance of the product with the requirements	onal protective to exposure to safety and health
15.2.	Chemical safety assessment:	Not required.	
16. C	Other information		
	Amendments made in the revised edition:	According to the CPL regulation.	
	List of relevant R phrases, hazard statements (H) and precautionary statements (P) which have not been written out in full in sections 2 to 15:	Not required.	
	Training of personnel:	Required proper education regarding the use of the product, examination occupational safety and health.	ation for
	Sources:	Material safety data sheets, REACH regulations and CLP regulations	·

Cinkarna Celje, SAFETY DATA SHEET				
Trade r	name: ZINC BARS FOR METALIZING	500X16X5		
	acronyms used in the safety data	ADR	European Agreement concerning the International	
		CLP	Regulation (EC) No 1272/2008 on classification, packaging and labelling of substances and mixtures	
		DNEL	Derived No Effect Level	
		LV	Limit	
		РВТ	Persistent, Bioaccumulative, Toxic	
		PNEC	Predicted No Effect Concentration	
		REACH	Registration, Evaluation, Authorisation and Restriction of Chemica	
		STOT	Specific target organ toxicity	
		VPvB	Very Persistent, Very Bioaccumulative	

Data specified above are based on research and experience of the supplier at the time of compiling the present MSDS. The supplier may not assume responsibility in case the buyer/user should fail to use the product in accordance with the relevant suggestions and recommendations. No information contained in the present MSDS may release the buyer/user from liability to strictly follow any legal requirements regarding his business activities.