

 Metalurško kemična industrija Celje, d.d.
 t
 00386 (0)3 427 60 00

 Kidričeva 26
 f
 00386 (0)3 427 62 92

 Sl-3001 Celje
 e
 info@cinkarna.si

 Slovenija
 w
 www.cinkarna.si
 Slovenija

- w www.cinkarna.si

SAFETY DATA SHEET	Page 1 of 8
	Issued on: 1 st June 2017
Trade name: CC MASTER PE 90257 P LL	Revised on:
	Version: 1

1. Id	entificatio	n of the su	bstance/mixtur	e and o	of the comp	any/undertak	ing	
1.1.	Product identifier (Product registration number):			CC N	C Master PE 90257 P LL Identification no P121711		Identification no.: P121711	
1.2.	Relevant identified uses of the substance/mixture and uses advised against:			Film,	extrusion, mou	ılding		
1.3.	Details of th distributor):		he safety data sheet	(manufac	cturer, importe	r, only representa	tive , downstream user or	
1.3.1.	Supplier nan	ne:		CINK	CINKARNA CELJE, d.d. Division: Kemija Mozirje			
1.3.2.	Supplier add	lress and phone	:	Kidri	čeva 26, 3001	CELJE, SLOVENIJ	A, +386 3 427 60 00	
1.3.3.	E-Mail (com	petent person):			a.munda@cinl			
1.4.	Emergency phone number:			of life Addit Wee +386	In the case of health hazards should consult your doctor, in the case of life-threatening, call the phone number 112 Additional information is available: Weekdays from 7-15 am +386 3 837 0900 +386 3 837 0908			
2. Ha	azards ide	ntification		I				
2.1.	Classification of substance or mixture: (Regulation (EC) No 1272/2008)		CC N	CC MASTER PE 90257 P LL is not dangerous or hazardous material.				
2.2.	Label eleme	ents:		None	None			
2.3.	Other hazards:			None	None.			
3. Co	ompositio	n/informati	on on ingredie	nts				
3.1. /3.2	Substances	/ mixture: Pig	ment concentrates i	n linear lo	w density poly	ethylene.		
Chemic	al name	CAS No.	REACH Registration	%	Classification a	according to Regulatio	n (EC) No 1272/2008 (CLP)	
	EC No. No. wt/vol/ Index No. conc.	Hazard statements (H)	Hazard class and I	nazard category				
/ / /			/	/ /				
4. Fir	st aid mea	asures						
4.1.	Description	of first aid me	asures:	Imme	Immediately remove any clothing soiled by the product.			
	Inhalation:			Wher	When inhaled remove to fresh air and seek medical aid			
	Skin contact:			Imme	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.			

Cinkarna Celje, SAFETY DATA SHEET	Page 2 of 8
Trade name: CC Master PE 90257 P LL	

	Eyes/mycosis contact:	Rinse eyes under running water for several minutes. Keep the eyes opened. If symptoms persist, seek medical advice.
	Ingestion:	Rinse out the mouth and then drink plenty of water. If symptoms persist, call for medical advice.
4.2	Most important symptoms and effects, acute and delayed:	Not known.
4.3.	Indication of any immediate medical attention and special treatment needed:	Toasted part of body cooling with cold water.
5. Fii	refighting measures	
5.1.	Extinguishing media	
	Appropriate media:	CO ₂ , foam, water.
	Inappropriate media:	Strong water jet
5.2.	Specific hazards arising from the substance or mixture:	In case of fires, hazardous combustion gas is formed: CO and CO_2
5.3.	Advice for firefighters:	Wear self-contained respiratory protective device. Wear fully protective clothing.
6. Ac	cidental release measures	
6.1.	Personal precautions protective equipment and emergency procedures	Usual precautions when handling the material.
6.1.1.	For non-emergency persons:	Prevent the transfer of material into surface water drainage system and underground.
6.1.2.	For emergency responders:	No requirements.
6.2.	Environmental precautions:	Prevent the transfer of material into sewers and watercourses.
6.3.	Methods and material for containment and cleaning:	
6.3.1.	Appropriate spillage retaining techniques (fencing, covering drains, retaining procedures):	Collect spilled material in an appropriated container for disposal. Deposit it based on regulation.
6.3.2.	Appropriate cleaning procedures	
	Neutralization techniques	Not known.
	Decontamination techniques	Not known.
	Absorbent materials	Not known.
	Cleaning techniques	Use appropriate tools to put the spilled solid in an appropriate disposal or recovery container. Reuse or recycle where possible.
	Sucking techniques	Central vacuuming.
	Required equipment for retaining /cleaning	Soil, sand, shovel.
6.3.3.	Inappropriate cleaning or retaining techniques	Do not rinse with water.
6.4.	Reference to other sections:	For further disposal measures see chapter 13.
7. Ha	Indling and storage	
7.1.	Precautions for safe handling	
7.1.1.	Recommendations shall be specified to:	
	Safe handing of substance or mixture:	Handle in contained and properly designed equipment system. Use with adequate ventilation. Avoid ingestion and inhalation. Keep away from uncontrolled heat and incompatible materials.

Cinkarna Celje, SAFETY DATA SHEET	Page 3 of 8
Trade name: CC Master PE 90257 P LL	

	Prevent handling of incompatible substances or mixtures:	Lay attention to the warnings on the label.
	Reduce the release of the substance or mixture to the environment:	Packaging should be tightly closed and upright to prevent leakage.
7.1.2.	General working hygiene (prohibited eating, drinking and smoking within working area; washing hands)	Immediately remove any clothing soiled by the product. Avoid contact with skin and eyes. During processing and handling of the product, don't eat and drink. Avoid inhalation of dust.
7.2.	Conditions for safe storage, including any incompatibilities	
	Management of risk associated with:	Ground all material handling and transfer equipment to dissipate built- up of static electricity.
	- explosive atmospheres:	Every effort should be made to prevent the accumulation of powders or fine dusts around material handling systems. ŽAccumulated powders or fine dusts may form explosive air-dust mixture.
	- corrosive substances:	Keep away from food, drink and the strong oxidizers.
	- incompatible substances or mixtures:	The premises must be adequately ventilated.
	- evaporation substances:	Keep from sources of ignition, heat and open flame.
	- potential ignition sources:	Precautions against electrostatic electricity, the use of grounded equipment.
	How to control the effects of	
	- weather conditions:	Store in a dry place.
	- ambient pressure:	There are no requirements.
	- temperature:	Do not store above 25 °C.
	- sunlight:	Keep away from heat and direct sunlight.
	- humidity:	Store the product in dry and cold place. Keep away from heat, direct sunlight and moisture. Keep in well-closed packaging.
	- vibrations:	There are no requirements.
	Securing integrity of substance or mixture by use of:	
	- stabilisers:	There are no requirements.
	- antioxidants:	There are no requirements.
	Other advice including:	
	- ventilation requirements;	Facilities must be adequately ventilated.
	- specific designs for storage rooms or vessels (including retention walls and ventilation):	No special measures required.
	- quantity limitations regarding storage conditions:	No special measures required.
	- packaging compatibility:	No special measures required.
7.3.	Specific end use(s):	Colouring of polyethylene products.
8. Ex	posure control/ personal protection	
8.1.	Control parameters	
8.1.1.	Limit values (MV):	/
	DNEL	Titanium dioxide: 10 mg/m ³

Cinkarna Celje, SAFETY DATA SHEET

Trade name: CC Master PE 90257 P LL

	PNEC	Titanium dioxide:
		Freshwater: > 0,127 mg/l
		Freshwater deposits: > 1000 mg/kg
		Sea water: > 0,62 mg/l
		Sea water deposits: > 100 mg/kg
		Soil: > 100 mg/kg
		Wastewater treatment plant: > 100 mg/kg
8.2.	Exposure control	
8.2.1.	Appropriate engineering controls:	Ventilation on the work place.
8.2.2.	Personal protective equipment:	
	- respiratory protection:	If engineering controls and ventilation are not sufficient to prevent built-up of aerosols, vapours or dusts, appropriate NIOSH approved air-purifying respirators or self-contained breathing apparatus appropriate for exposure potential should be used. Air-supplied breathing apparatus must be used when oxygen concentrations are low or if airborne concentrations exceed the limits of the air-purifyng respirators. Dust musk, SIST EN 143:2001/AC:2005
	- skin protection:	Protective clothing, SIST EN ISO 13688:2013
	- hand protection:	Wear thermal insulating gloves whenever molten material is present. SIST EN 374-3:2003/AC:2006.
	- eye/face protection:	Safety goggles, SIST EN 166:2002
	- heat radiation protection:	Gloves, SIST EN 407:2004
	Other:	Before eating, drinking, or smoking, wash face and hands thoroughly with soap and water.
8.2.3.	Environment exposure control:	Do not allow product to reach ground water, water bodies or sewage system.
9. Ph	ysical and chemical properties	
9.1.	Information on basic physical and chemical properties:	
	- appearance	Solid, pellets
	- color	White
	- odor:	Odorles
	Upper/lower flammability or explosive limit:	N.a.
	Relative density:	1,55 – 1,70 g/m ³ at 20 ⁰ C
	Solubility:	Insoluble in water
9.2.	Other information:	N.a.
10. S	tability and reactivity	
10.1.	Reactivity:	Stable and not reactive.
10.2.	Chemical stability:	Under normal conditions the products is stable.
10.3.	Possible hazardous reactions:	This product is stable under normal use conditions for shock,

Page 4 of 8

 Cinkarna Celje, SAFETY DATA SHEET
 Page 5 of 8

 Trade name: CC Master PE 90257 P LL

10.4.	Conditions to avoid:	Avoid contact with flames or sparks. Do not heat temperatures exceeding 350 °C.		
10.5.	Incompatible materials:	Acid, alkali and oxidants.		
10.6.	Hazardous decomposition products:	Dust may from an explosive mixture with air, ignited by spark or source of ignition.		
11. To	oxicological data			
11.1.	Information on toxicological effects			
	- Acute toxicity:	Titanium dioxide: Acute oral toxicity: LD 50/rat > 5000 mg/kg Acute oral toxicity by inhalation: LD 50/ 4h rat > 6,82 mg/l		
	- skin corrosion/irritation:	N.a.		
	- Serious eye damage/irritation:	N.a.		
	- respiratory or skin sensitisation:	May cause allergic reaction		
	- germ cell mutagenicity:	N.a.		
	- Carcinogenicity:	In February 2006 the IARC came to the conclusion that there are not enough evidence that titanium dioxide has carcinogenic effects in humans. However,based on experiments in rats (inhalation), the IARC notes that there is enough proof for carcinogenicity in the studied animals (rats). General conclusion of the IARC is that Titanium dioxide is "possibly carcinogen" to humans (class 2B). This conclusion is based on the IARC rules that require the identification of carcinogenicity be made by confirming the results regarding the formation of tumours and performing two or more independent researches in one living species in different laboratories or on separate occasions by various methods.		
	- Toxicity for reproduction:	It is not toxic for reproduction.		
	- STOT – single exposure:	N.a.		
	- STOT - repeated exposure:	N.a.		
	- Inhalation hazards:	N.a.		
12. Ec	cological information			
12.1.	Toxicity:	Titanium dioxide: Toxicity for fish: LC50 / 96 h / Pimephales promelas (fathead minnow): > 1000 mg/l Toxicity for aquatic organisms: EC50 / 72 h / Pseudokirchneriella subcapitata (green algae): 61 mg/l Toxicity for aquatic invertebrates:		
		EC50 / 48 h / Daphnia magna (water flea): > 1000 mg/l		
12.2.	Persistence and degradability:	The product is bio non-degradable and insoluble in water.		
12.3.	Accumulation in organisms:	The product does not accumulate in organisms.		
12.4.	Mobility in soil:	N.a.		
12.5.	PBT and vPvB assessment results:	Unclassified substance PBT/ Unclassified substance vPvB.		
12.6.	Other adversative effects:	Do not allow product to reach ground water, water bodies or sewage system.		
13. Dis	sposal considerations			
13.1.	Waste treatment methods:	Remove in accordance with local regulations Classification No. 07 02 13waste plastic		

Cinkarna Celje, SAFETY DATA SHEET	Page 6 of 8
Trade name: CC Master PE 90257 P LL	

14. Tra	insport information	
	ADR, RID, AND, IMDG, ICAO-TI/IATA-DGR	/
14.1.	UN number:	/
14.2.	UN proper shipping (technical name if required):	/
14.3	Transport hazard class:	/
14.4.	Packaging group:	/
14.5.	Hazard to environment:	/
14.6.	Special precautions for user:	/
14.7.	Bulk transport by MARPOL 73/78 Annex II and IBC Code:	/
14.8.	Tunnel code:	/
14.9.	Classification code:	/
14.10.	Hazard label:	/
15. Re	gulatory information	
15.1.	Rules and regulations regarding health, safety, and environmental hazard specific to the substance or mixture:	Law of chemicals and regulation of classification, packaging and labelling of hazard material and preparation.
15.2.	Chemical safety assessment:	Chemical safety assessment was not made.
16. Oth	ner information	
	Amendments made in the revised edition:	/
	List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements. Write out the full text of any statement which are not written out in full under Sections 2 to 15:	
	Training of personnel:	In accordance with technical instruction.
	Sources:	The data given here are based on current knowledge and experience. The purpose of this Material Safety Data Sheet is to describe the product in terms of its safety requirements. The data do not signify any warranty with regard to the products properties.
		 Chemicals Act (Zkem-UPB1) Official Gazette of RS No. 110/2003, as amended (Official Gazette of RS, No. 16/2008 9/ 2011).
		• Act on occupational safety and health (ZVZD-1) Official Gazette of RS, No. 43/2011.
		• Rules on the protection of workers from risks related to chemical agents at work (Official Gazette of RS, No. 100/2001, as amended (Official Gazette of RS, No. 39/2005, 53/2007, 102/2010).
		 Regulation on the classification, packaging and labeling of dangerous preparations (Official Gazette of RS No. 67/2005, as amended (Official Gazette of RS, no. 137/2006, 70/2008 and 88/2008, 126/2008, 81/2009).
		Rules on reporting (Official Gazette of RS, No. 35 /2011), as

Cinkarna Celje, SAFETY DATA SHEET	Page 7 of 8
Trade name: CC Master PE 90257 P LL	

	amand	ad (Official Cazatta BS, No. 40/2012)
	amenu	ed (Official Gazette RS, No. 49/2013).
		ation on the management of packaging and packaging Official Gazette RS, no. 84/2006).
	 Ordinal 34/200 	nce on Waste Management (Official Gazette of RS, No. 8).
	of the C Authori establis 1999/4 and Co Directiv 93/67/E No. 453 • Regula of the C substat 67/548 1907/2 286/ 20	tion (EC) no. 1907/2006 of the European Parliament and Council concerning the Registration, Evaluation, sation and Restriction of Chemicals (REACH), shing a European Chemicals Agency, amending Directive 5/EC and repealing Council Regulation (EEC) No. 793/93 mmission Regulation (EC) no. 1488/94 and Council <i>v</i> e 76/769/EEC and Commission Directives 91/155/EEC, EEC, 93/105/EEC and 2000/21/EC, as amended (OJ EU 3/2010, 348/2013). tion (EC) no. 1272/2008 of the European Parliament and Council on classification, labeling and packaging of noces and mixtures, amending and repealing Directives /EEC, 1999/45 / EC and amending Regulation (EC) no. 006, as amended (Official Gazette of RS, No. 790/2009 011, 618/2012, 0487/2013, 758/2013).
		tion of titles and references of harmonised standards Jnion harmonisation legislation (2013/C 186/01).
A key or legend to abbreviation and acronyms	ADI -	Acceptable Daily Intake
used in the safety data sheet:	ADN -	European Agreement concerning the International
		Carriage of Dangerous Goods by Inland Waterways
	CLP -	Regulation (EC) No 1272/2008 on classification,
		packaging and labelling of substances and mixtures
	PNEC -	Predicted No Effect Concentration
	DNEL -	Derived No Effect Level
	STOT -	Specific target organ toxicity
	ADR -	European Agreement concerning the International
		Carriage of Dangerous Goods by Road
	CAS -	Chemical Abstract Services
	EINECS -	European Inventory of Existing Commercial Chemical
	GHS -	Substances Globally Harmonised System of Classification and Labelling of Chemicals
	REACH -	Registration, Evaluation, Authorisation and Restriction of
		Chemicals
	ICAO-TI -	International Civil Aviation Organisation - Technical
		Instructions
	IMDG -	Code International Maritime Dangerous Goods Code
	IATA -	International Air Transport Association
	ISO -	International Organization For Standardization
	AOEL -	Acceptable Operator Exposure Level
	NOAEL No	- Observed Adverse Effect Level

Cinkarna Celje, SAFETY DATA SHEET

Trade name: CC Master PE 90257 P LL

NOEC No -	Observed Effect Concentration
NOEL No -	Observed Effect Leve
OEL-	Occupational Exposure Limit
PBT -	Persistent, Bioaccumulative, Toxic
PNEC -	Predicted No Effect Concentration
RID -	Regulations concerning the International Carriage of
	Dangerous Goods by Rail
vPvB -	Very Persistent, Very Bioaccumulative
N.a	Not applicable
LC ₅₀ -	Lethal Concentration in the air, killing 50% of the test
	organisms (Lethal Concentration)
LD ₅₀ -	lethal dose at which 50% die of test organisms
IC ₅₀ -	inhibitory concentration at which 50% inhibition of the
	test organisms (Inhibition Concentration)
EC ₅₀ -	concentration at which it dies / die 50% of test organism
M -	Factor for the concentracion of substance hazardous to
	the aquatic
TWA - MV -	Permissible limit Limit
KTV -	Short term
BAT -	Biological limit value

Data specified above are based on research and experience of the supplier at the time of compiling the present MSDS. The supplier may not assume responsibility in case the buyer/user should fail to use the product in accordance with the relevant suggestions and recommendations. No information contained in the present SMDS may release the buyer/user from liability to strictly follow any legal requirements regarding his business activities.